



DECLARATION OF PERFORMANCE

Under the CPR EU 305/2011

No. _____



1	Unique identification code of the product types:	Metal roof panels with PIR insulating core PROFHOLOD
2	Type, batch or serial number of any other element allowing identification of the construction product as required under Article 11(4) of the CPR:	Metal three-layer roof panels with an insulation of polyisocyanurate (PIR) with double skin from cold hire profiled steel thickness no less than 0,4 mm, painted by polyester paint, (thickness, mm: 40, 50, 60, 80, 100, 120, 150, 200).
3	Intended use or uses of the construction product in accordance with the applicable harmonized technical specification	Product is intended to use as roof insulation for external application.
4	Name and contact address of the manufacturer	LLC “ProfHolod” 12, Presnenskaya nab., Moscow, Russia, 123100 Reg. No. 40103431021 Phone: +7 (495) 745-01-37 E-mail: info@profpanel.ru
5	Name and contact address of the official representative in EU	SIA „CONCEPTUM“ Lubanas str. 78, Riga, LV-1073, Latvia Phone: +371-677-95-225 E-mail: conceptum.sia@gmail.com
6	System of assessment and verification of constancy of performance of the construction product	System 3
7	In case of the declaration of performance concerning a construction product covered by a harmonized standard:	In accordance with requirements of the harmonized standard EN 14509:2013 and also with Annex V, paragraph 3 of the CPR 305/2011 on base of Test reports: No. 1955-1/2016 issued 22.11.2016, No.1956-2-2016 issued 22.11.2016 and Classification of reaction to fire performance in accordance with EN 13501-1:2007+A1:2009 No. K42/2016 issued 22.11.2016 by FOREST AND WOOD PRODUCTS RESEARCH AND DEVELOPMENT INSTITUTE , Jelgava, Latvia (NB 2040, LATAK-T-316). Essential characteristics of product are indicated in Table 1.
8	In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:	Not applicable

DECLARATION OF PERFORMANCE

Under the CPR EU 305/2011

No. _____



Table 1: Performance of the **Metal roof panels with PIR insulating core PROFHOLOD** according requirement of harmonized standard EN 14509:2013:

Essential characteristics	Performance							Standards
Thickness (mm)	40	50	60	80	100	120	150	EN 14509
Thermal transmittance (W/m ² K)	0,33	0,29	0,26	0,21	0,18	0,15	0,13	
Mass (kg/ m ²)	7,9	8,3	8,6	9,3	10	10,7	11,8	
Reaction to fire (Euroclass)	C-s2-d0							Testing according to EN 14509 Classification according to EN 13501-1:2007+A1:2009 + indication on mounting and fixing method according to Annex A
External fire performance	Not applicable							CWFT (EN 14509, C.3.1)
Release of dangerous substances	Total emission of VOC contents is about 0,01 % m/m							VOC emission was determined by using gas chromatography with mass spectrometry detector "Shimadzu"
Density (kg/m ³)	>33							EN 14509
Tensile strength (MPa)	>0,03							EN 14509
Compressive strength (MPa)	>0,1							EN 14509
Shear modulus (MPa)	>1,58							EN 14509
Internal steel gauge (mm)	>0,4							EN 10346
External steel gauge (mm)	>0,4							EN 10346

- 9 The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by (name, position) :

Sergey Tokmakov
Managing Director

Moscow, 20/12/2016

.....
Issue place and date

.....
Signature