

Hinged Double Leaf Doors (HDL)

Retail Price List in Euro, VAT not included updated on 23.10.2018

All prices include 2 mm thick metal door frame

Photo of French Fermod and Italian MTH hardware



Door thickness, mm	Installation opening, HEIGHT, mm	Installation opening, WIDTH, mm					
		1400	1600	1800	2000	2200	2400
80	1800	476	487	499	520	531	571
	2000	495	507	519	542	555	621
	2200	514	527	540	565	601	648
	2400	556	570	583	610	624	675
100	1800	490	503	517	540	564	595
	2000	511	525	539	564	590	647
	2200	531	546	561	589	639	676
	2400	575	591	607	636	665	706
120	1800	504	519	535	560	585	619
	2000	526	543	559	586	614	673
	2200	548	566	583	613	665	705
	2400	593	612	630	662	694	737

Photo of German Rahrbach hardware



Door thickness, mm	Installation opening, HEIGHT, mm	Installation opening, WIDTH, mm								
		1400	1600	1800	2000	2200	2400	2600	2800	3000
80	1800	727	739	751	774	786	836	978	1 003	1 017
	2000	747	760	773	797	810	927	1 012	1 038	1 054
	2200	768	782	795	821	897	956	1 046	1 074	1 090
	2400	925	940	954	982	996	1 060	1 155	1 184	1 201
	2600	991	1 007	1 024	1 057	1 074	1 149	1 258	1 354	1 374
	2800	1 085	1 105	1 125	1 165	1 185	1 277	1 469	1 510	1 533
	3000	1 173	1 194	1 215	1 258	1 279	1 376	1 511	1 554	1 579
100	1800	754	769	783	809	835	880	1 028	1 057	1 074
	2000	777	793	809	837	865	975	1 067	1 097	1 116
	2200	800	817	834	864	956	1 008	1 105	1 138	1 157
	2400	960	978	996	1 028	1 061	1 117	1 219	1 253	1 274
	2600	1 031	1 051	1 072	1 110	1 147	1 213	1 331	1 433	1 456
	2800	1 132	1 156	1 181	1 226	1 272	1 351	1 553	1 601	1 629
	3000	1 223	1 249	1 275	1 323	1 371	1 455	1 601	1 651	1 681
120	1800	792	810	827	857	886	936	1 091	1 124	1 144
	2000	818	837	856	887	919	1 035	1 134	1 169	1 191
	2200	844	864	884	918	1 015	1 073	1 178	1 215	1 238
	2400	1 007	1 029	1 050	1 087	1 123	1 186	1 296	1 336	1 360
	2600	1 083	1 107	1 132	1 175	1 217	1 291	1 417	1 525	1 553
	2800	1 190	1 219	1 249	1 300	1 351	1 439	1 651	1 706	1 739
	3000	1 284	1 316	1 347	1 401	1 455	1 548	1 705	1 762	1 797


Our doors are available in custom sizes to insure best commercial application

- **Core:** rigid polyurethane foam by German Dow Chemical
- **Foam Density:** 50 kg/m³
- **Thermal conductivity:** 0,022 W/(m*k)
- **Exterior and interior metal, including door shoulders:** 0,5 mm thick galvanised steel, in RAL colours of your choice
- **Packaging:** 50 micron thick plastic stretch-wrap

All door locks feature locking mechanisms operated from the inside by an emergency opener, knob or lever

All doors are equipped with European-made rubber refrigerator gaskets for perfect tightness

Doors for freezing rooms are equipped with double profile gaskets



Door catalogue codes

HDL D	Hinged Double Leaf Door
HDL D R	Hinged Double Leaf Door R Series
L	Low temperature door for freezing rooms
M	Medium temperature door for cold rooms
Right/Left	Active door blade

Example of door catalogue code: HDLD R 1400 2000 100 Rai9003/Rai9003 80 L Right

Door type	Doorway Width	Doorway Height	Door leaf thickness	Door steel type		Threshold height	Temperature	Active door blade
				Exterior metal	Interior metal			
Hinged Double Leaf Door R Series	1400	2000	100	RAL9003	RAL9003	80	L	Right

Additional options for HDLD

Item	Catalogue code	Price
Frame heating cable for low-temperature cold rooms below 0°C. Price for running meter	L	5
Gasket heating cable for freezing rooms below -25°C. Price for 1 item		18
Frame installation hardware for insulated sandwich panels with an opening	FI HDLD	19
Frame installation hardware for brick wall	FI B	12
Frame installation hardware for steel stud construction	FI S	4
Stainless steel on one side AISI 304	AISI 304	26
Price for 1 sq m of door opening AISI 430	AISI 430	14
Stainless steel frame AISI 304	AISI 304	34
Price for 1 running meter AISI 430	AISI 430	20
Customized frame for monorail		61
Plexiglass window, size 400X400 mm		40
Plexiglass window, size 400X600 mm		52
STUV handle hardware for passive leaf		104
Thershold with heating cable AISI 430. Price for 1 running meter		36
Thershold with heating cable AISI 304. Price for 1 running meter		43
Thershold with heating cable for doors without threshold. Price for 1 running meter		24
Stainless steel metalware kit. Price for 1 sq m		4
Hidden installation kit		29
Frame hidden installation kit AISI 304		65
Frame hidden installation kit AISI 430		59

Factory installed bumpers

Bumper material	Thickness, mm	Price for sq m	Price for running meter	
			0,25 m	0,5 m
AISI 304	1,5	68	17	34
AISI 430	1,5	49	12	24
Checker plate	1,5	49	14	24
Flat ABS plastic	4,0	36	9	18




Packaging

Item	Price
Stretch-wrap	included in door price
Cardboard packaging	calculated individually for your order
Wooden packaging	calculated individually for your order

Door ramps

		Door ramp width, mm										
		1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
Door ramp height, mm	50	90	93	95	97	100	102	104	107	109	111	113
	60	98	100	102	105	107	109	112	114	116	118	121
	80	106	108	110	113	115	117	120	122	124	127	129
	100	113	116	118	120	123	125	127	129	132	134	136
	120	121	123	125	127	130	132	134	137	139	141	144
	150	128	130	133	135	137	140	142	144	147	149	151
	200	136	139	141	143	145	148	150	152	155	157	159

- **Standard ramp height:** 1000 mm
- **Ramp base material:** painted steel 2 mm
- **Ramp surface material:** checker plate metal



Agrohim territory, bld. 58,
Shchelkovo, Moscow region,
Russia, 141101

+7 (925) 745-01-37



www.profholod.ru

www.profpanel.ru