



Hinged Double Leaf Doors (HDL)

Retail Price List in US Dollars, VAT not included updated on 23.10.2018
All prices include 2 mm thick metal door frame

Photo of French Fermob and Italian MTH hardware



Door thickness, mm	Installation opening, HEIGHT, mm	Installation opening, WIDTH, mm					
		1400	1600	1800	2000	2200	2400
80	1800	555	568	582	607	620	667
	2000	577	591	606	633	647	725
	2200	599	615	630	659	701	756
	2400	649	665	681	712	728	787
100	1800	572	587	603	630	657	694
	2000	596	612	629	658	688	755
	2200	620	637	655	687	746	789
	2400	670	689	708	742	776	823
120	1800	588	606	624	653	683	722
	2000	614	633	652	684	716	786
	2200	640	660	680	715	776	822
	2400	692	714	735	772	809	859

Photo of German Rahrbach hardware



Door thickness, mm	Installation opening, HEIGHT, mm	Installation opening, WIDTH, mm								
		1400	1600	1800	2000	2200	2400	2600	2800	3000
80	1800	848	862	876	902	916	975	1 141	1 170	1 187
	2000	872	887	902	930	945	1 082	1 181	1 211	1 229
	2200	896	912	928	958	1 046	1 116	1 220	1 253	1 271
	2400	1 079	1 096	1 113	1 146	1 162	1 237	1 347	1 381	1 401
	2600	1 156	1 175	1 195	1 233	1 253	1 340	1 468	1 580	1 603
	2800	1 266	1 289	1 313	1 359	1 383	1 489	1 714	1 761	1 789
	3000	1 369	1 393	1 418	1 467	1 492	1 605	1 763	1 813	1 842
100	1800	880	897	914	944	975	1 026	1 200	1 233	1 253
	2000	907	925	943	976	1 009	1 138	1 245	1 280	1 302
	2200	934	953	973	1 008	1 115	1 176	1 290	1 327	1 350
	2400	1 121	1 141	1 162	1 200	1 237	1 303	1 422	1 462	1 486
	2600	1 203	1 227	1 251	1 295	1 339	1 415	1 553	1 671	1 699
	2800	1 320	1 349	1 378	1 431	1 484	1 576	1 812	1 867	1 900
	3000	1 427	1 457	1 487	1 544	1 600	1 698	1 868	1 926	1 961
120	1800	925	945	965	999	1 033	1 091	1 273	1 311	1 335
	2000	955	977	998	1 035	1 072	1 208	1 323	1 364	1 389
	2200	985	1 008	1 032	1 072	1 184	1 252	1 374	1 417	1 444
	2400	1 175	1 200	1 225	1 268	1 310	1 384	1 512	1 558	1 587
	2600	1 263	1 292	1 321	1 370	1 420	1 506	1 653	1 779	1 812
	2800	1 388	1 423	1 457	1 517	1 577	1 679	1 926	1 990	2 029
	3000	1 498	1 535	1 571	1 635	1 698	1 806	1 989	2 056	2 097


Our doors are available in custom sizes to insure best commercial application

- **Core:** rigid polyurethane foam by German Dow Chemical
- **Foam Density:** 50 kg/m³
- **Thermal conductivity:** 0,022 W/(m*k)
- **Exterior and interior metal, including door shoulders:** 0,5 mm thick galvanised steel, in RAL colours of your choice
- **Packaging:** 50 micron thick plastic stretch-wrap

All door locks feature locking mechanisms operated from the inside by an emergency opener, knob or lever

All doors are equipped with European-made rubber refrigerator gaskets for perfect tightness

Doors for freezing rooms are equipped with double profile gaskets



Door catalogue codes

HDLD	Hinged Double Leaf Door
HDLD R	Hinged Double Leaf Door R Series
L	Low temperature door for freezing rooms
M	Medium temperature door for cold rooms
Right/Left	Active door blade

Example of door catalogue code: HDLD R 1400 2000 100 Rai9003/Rai9003 80 L Right

Door type	Doorway Width	Doorway Height	Door leaf thickness	Door steel type		Threshold height	Temperature	Active door blade
				Exterior metal	Interior metal			
Hinged Double Leaf Door R Series	1400	2000	100	RAL9003	RAL9003	80	L	Right

Additional options for HDLD

Item	Catalogue code	Price
Frame heating cable for low-temperature cold rooms below 0°C. Price for running meter	L	6
Gasket heating cable for freezing rooms below -25°C. Price for 1 item		21
Frame installation hardware for insulated sandwich panels with an opening	FI HDLD	23
Frame installation hardware for brick wall	FI B	14
Frame installation hardware for steel stud construction	FI S	4
Stainless steel on one side AISI 304	AISI 304	30
Price for 1 sq m of door opening AISI 430	AISI 430	16
Stainless steel frame AISI 304	AISI 304	40
Price for 1 running meter AISI 430	AISI 430	23
Customized frame for monorail		71
Plexiglass window, size 400X400 mm		47
Plexiglass window, size 400X600 mm		61
STUV handle hardware for passive leaf		121
Thershold with heating cable AISI 430. Price for 1 running meter		42
Thershold with heating cable AISI 304. Price for 1 running meter		50
Thershold with heating cable for doors without threshold. Price for 1 running meter		28
Stainless steel metalware kit. Price for 1 sq m		5
Hidden installation kit		34
Frame hidden installation kit AISI 304		76
Frame hidden installation kit AISI 430		69

Factory installed bumpers

Bumper material	Thickness, mm	Price for sq m	Price for running meter	
			0,25 m	0,5 m
AISI 304	1,5	80	20	40
AISI 430	1,5	57	14	28
Checker plate	1,5	57	17	28
Flat ABS plastic	4,0	42	11	21




Packaging

Item	Price
Stretch-wrap	included in door price
Cardboard packaging	calculated individually for your order
Wooden packaging	calculated individually for your order

Door ramps

		Door ramp width, mm										
		1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400
Door ramp height, mm	50	105	108	111	114	116	119	122	124	127	130	132
	60	114	117	119	122	125	127	130	133	135	138	141
	80	123	126	129	131	134	137	140	142	145	148	150
	100	132	135	138	140	143	146	148	151	154	156	159
	120	141	143	146	149	151	154	157	160	162	165	168
	150	149	152	155	158	160	163	166	168	171	174	176
	200	159	162	164	167	170	172	175	178	180	183	186

- **Standard ramp height:** 1000 mm
- **Ramp base material:** painted steel 2 mm
- **Ramp surface material:** checker plate metal



Agrohim territory, bld. 58,
Shchelkovo, Moscow region,
Russia, 141101

+7 (925) 745-01-37



www.profholod.ru

www.profpanel.ru