



## Sliding Doors with Fermatic System (SD F)

Retail Price List in US Dollars, VAT not included updated on 09.07.2018

All prices include 2 mm thick metal door frame

### Sliding Doors with Fermatic System

Door thickness, mm	Door height, mm	Door width, mm									
		1200	1400	1600	1800	2000	2200	2400	2600	2800	3000
80	2000	2 076	2 151	2 175	2 194	2 213	2 243	2 272	3 131	3 150	3 240
	2200	2 094	2 175	2 200	2 220	2 240	2 271	2 303	3 166	3 186	3 276
	2400	2 133	2 222	2 250	2 272	2 294	2 329	2 364	3 235	3 257	3 349
	2600	2 159	2 254	2 277	2 299	2 322	2 359	2 396	3 271	3 294	3 387
	2800	2 179	2 279	2 303	2 327	2 351	2 389	2 428	3 307	3 331	3 426
	3000	2 200	2 304	2 329	2 354	2 379	2 419	2 460	3 344	3 369	3 464
100	2000	2 093	2 174	2 202	2 224	2 246	2 278	2 311	3 173	3 195	3 288
	2200	2 114	2 200	2 228	2 252	2 275	2 310	2 344	3 211	3 234	3 328
	2400	2 155	2 250	2 282	2 308	2 333	2 372	2 410	3 285	3 311	3 407
	2600	2 182	2 284	2 310	2 337	2 364	2 405	2 446	3 325	3 352	3 449
	2800	2 204	2 311	2 339	2 367	2 395	2 438	2 481	3 365	3 393	3 491
	3000	2 226	2 338	2 367	2 396	2 426	2 471	3 163	3 404	3 434	3 533
120	2000	2 111	2 198	2 228	2 253	2 278	2 314	2 349	3 215	3 240	3 335
	2200	2 133	2 225	2 257	2 283	2 310	2 348	2 386	3 256	3 282	3 379
	2400	2 176	2 279	2 314	2 343	2 372	2 415	2 457	3 336	3 365	3 465
	2600	2 206	2 314	2 344	2 375	2 406	2 451	2 495	3 379	3 409	3 511
	2800	2 229	2 343	2 375	2 407	2 439	2 486	3 181	3 422	3 454	3 557
	3000	2 252	2 371	2 405	2 439	2 472	3 170	3 219	3 465	3 498	3 603
150	2000	2 137	2 233	2 267	2 297	2 326	2 367	2 407	3 278	3 307	3 407
	2200	2 161	2 263	2 299	2 331	2 362	2 405	2 448	3 323	3 354	3 456
	2400	2 209	2 321	2 362	2 396	2 431	2 479	3 175	3 411	3 446	3 551
	2600	2 240	2 359	2 395	2 432	2 468	3 167	3 218	3 459	3 496	3 603
	2800	2 266	2 390	2 429	2 467	2 505	3 207	3 261	3 507	3 546	3 655
	3000	2 292	2 422	2 462	2 502	2 543	3 247	3 303	3 556	3 596	3 706

Our doors are available in custom sizes to insure best commercial application

Please notice that the lock comes as a separate option, and it's price is calculated separately


- **Core:** rigid polyurethane foam by German Dow Chemical Company
- **Foam Density:** up to 50 kg/m<sup>3</sup>
- **Thermal conductivity:** 0,022 W/(m\*k)
- **Exterior and interior metal, including door shoulders:** 0,5 mm thick galvanised steel, in RAL colours of your choice
- **Packaging:** 50 micron thick plastic stretch-wrap
- **Door lock** comes with a key and emergency opener from inside
- **All doors are equipped with European-made rubber refrigerator gaskets for perfect tightness**  
Doors for freezing rooms are equipped with double profile gaskets



**Door catalogue codes**

SD	Sliding door
L	Low temperature door for freezing rooms
M	Medium temperature door for cold rooms
Right/Left	Sliding to Right/Left
Fermatic	Fermatic System Doors

**Fermod Electric Automatic Kit**



**Handle kit 3350 | 3530**

For doors with height up to 3000 mm

**Handle kit 4440**

For doors with height starting at 4000  
up to 4700 mm

Example of door catalogue code: SD 800 2000 100 RaI9003/RaI9003 80 L Right Fermatic

Door type	Doorway Width	Doorway Height	Door leaf thickness	Door steel type		Threshold height	Temperature	Sliding direction	Automatic system
				Exterior	Interior				
Sliding Door	800	2000	100	RAL9003	RAL9003	80	L	Right	Fermatic

Additional options for SD

Item	Catalogue code	Price, VAT not included
Electro Automatic Kit	Jam-proof motordrive	EPR
	Electric lock	Electric lock
	Remote control unit	Remote unit
Frame heating cable with constant power, metal armor, 40 Wt/m, price for 1 running meter		6
Frame installation hardware for insulated sandwich panels with an opening	FI SD	61
Frame installation hardware for brick wall	FI B	14
Stainless steel for one side of the door	AISI 304	Stainl 304
Price for 1 sq m of the door opening	AISI 430	Stainl 430
Stainless steel frame	AISI 304	40
Price for 1 running meter	AISI 430	23
Customized frame and door for use with monorail		106
Additional cover, 1,5 mm checker aluminium plate		78
Fermod 57 lock, France		298
Rahrbach lock, Germany	Rahrbach	201
Protective cover RAL	Cover	25
Protective cover AISI 430	Cover	55
Protective cover AISI 304	Cover	75
Pressure Relief Valve	Valve	19
Plexiglass window, size 400X400 mm		47
Plexiglass window, size 400X600 mm		61
Set of stainless steel metalware 1 sq m		5
Hidden installation hardware		40
Hidden frame installation hardware AISI 304		107
Hidden frame installation hardware AISI 430		89

Door ramps

		Door ramp width, mm													
		1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	2500
Door ramp height, mm	50	100	103	105	108	111	114	116	119	122	124	127	130	132	135
	60	109	111	114	117	119	122	125	127	130	133	135	138	141	144
	80	118	121	123	126	129	131	134	137	140	142	145	148	150	153
	100	127	129	132	135	138	140	143	146	148	151	154	156	159	162
	120	135	138	141	143	146	149	151	154	157	160	162	165	168	170
	150	144	147	149	152	155	158	160	163	166	168	171	174	176	179
	200	154	156	159	162	164	167	170	172	175	178	180	183	186	189

- **Standard ramp height:** 1000 mm
- **Ramp base material:** painted steel 2 mm thick
- **Ramp surface material:** checker plate metal



Agrohim territory, bld. 58,  
Shchelkovo, Moscow region,  
Russia, 141101

+7 (925) 745-01-37



www.profholod.ru  
www.profp-panel.ru