



## Traffic Swinging Doors

Retail price list in Euro, VAT not included updated 20.08.2018

All prices include 2 mm thick metal door frame

### Traffic Swinging Single Leaf Doors (TSD) with RAL 9003 metal

n-shaped frame		Installation opening, WIDTH, mm					
		800	900	1000	1100	1200	1300
Installation opening, HEIGHT, mm	1800	314	318	321	325	330	391
	1900	319	322	326	330	395	396
	2000	322	326	330	335	400	401
	2100	328	332	335	401	406	408
	2200	334	338	342	408	413	415
	2300	341	346	410	416	422	484
	2400	410	415	419	425	431	494

Angular frame		Installation opening, WIDTH, mm					
		800	900	1000	1100	1200	1300
Installation opening, HEIGHT, mm	1800	352	357	360	366	371	437
	1900	358	362	366	372	443	444
	2000	362	367	371	376	448	449
	2100	369	374	378	450	455	457
	2200	376	381	385	458	464	465
	2300	384	389	460	467	473	541
	2400	460	465	470	477	484	552

Overlapping frame		Installation opening, WIDTH, mm					
		800	900	1000	1100	1200	1300
Installation opening, HEIGHT, mm	1800	380	385	390	396	401	466
	1900	387	392	397	404	472	474
	2000	393	398	403	410	478	481
	2100	401	407	412	482	488	490
	2200	410	416	421	492	498	500
	2300	420	426	495	503	509	575
	2400	495	501	507	515	522	588

### Factory installed bumpers for Traffic Swinging Single Leaf Doors

Bumper material type	Width, mm	Price for sq m	Price for running meter	
			Top 0,25 m	Bottom 0,5 m
AISI 304	1,5	66	17	33
AISI 430	1,5	47	12	24
Aluminium checker plate	1,5	48	12	24
Flat ABS plastic	4,0	27	7	13
Curved HDP plastic	6,0	38	9	19

## Traffic Swinging Double Leaf Doors (TDD) with RAL 9003

n-shaped frame		Installation opening, WIDTH, mm													
		1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	2500	2600
Installation opening, HEIGHT, mm	1800	511	560	562	568	571	573	576	580	582	589	591	599	723	725
	1900	518	568	571	577	580	582	585	589	591	599	724	732	734	736
	2000	525	577	580	586	589	592	594	599	601	609	734	742	745	747
	2100	532	586	588	595	598	601	604	608	733	742	744	753	755	757
	2200	541	597	600	607	609	612	615	620	746	755	757	766	769	771
	2300	552	610	613	620	623	626	753	758	761	770	773	782	908	911
	2400	669	733	735	744	747	750	753	759	761	771	773	784	909	911
	2500	675	741	744	753	756	759	763	768	771	781	783	794	919	922
	2600	681	749	752	760	763	767	770	776	779	789	792	803	928	931

Angular frame		Installation opening, WIDTH, mm													
		1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	2500	2600
Installation opening, HEIGHT, mm	1800	569	623	626	634	636	639	642	647	650	658	660	669	805	807
	1900	578	633	636	644	646	650	653	658	660	669	806	814	817	820
	2000	586	643	646	654	657	660	664	669	671	680	817	826	829	832
	2100	594	653	656	664	667	671	674	679	817	826	829	838	841	844
	2200	604	666	669	677	680	684	688	693	831	841	844	854	857	859
	2300	617	681	684	693	696	699	838	844	847	858	861	871	1 010	1 013
	2400	744	815	819	828	831	835	839	845	848	859	862	873	1 010	1 013
	2500	752	825	829	838	842	846	850	856	859	870	873	885	1 022	1 025
	2600	759	834	837	847	850	855	859	865	868	880	883	896	1 033	1 036

Overlapping frame		Installation opening, WIDTH, mm													
		1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	2500	2600
Installation opening, HEIGHT, mm	1800	586	641	644	653	656	660	664	669	673	681	684	693	824	827
	1900	596	652	656	664	667	672	676	681	685	694	825	834	837	840
	2000	605	663	667	676	679	683	687	693	697	706	838	847	850	854
	2100	615	675	678	687	691	695	699	705	837	847	850	860	864	867
	2200	624	686	690	699	702	707	711	717	849	859	863	873	877	880
	2300	634	698	702	711	715	719	851	858	862	873	876	887	1 018	1 022
	2400	763	834	838	849	852	857	862	869	873	884	888	899	1 030	1 034
	2500	772	845	849	860	864	869	874	881	885	896	900	912	1 043	1 047
	2600	780	855	859	870	874	879	884	891	895	907	911	923	1 055	1 059

Our doors are available in custom sizes to insure best commercial application

### Example of door catalogue code: TSD 800 2000 40 Ral9003/Ral9003 Ang Right

Door type	Doorway Width	Doorway Height	Door leaf thickness	Door steel type		Frame type	Hinges location
				Exterior metal	Interior mental		
Traffic Swinging Single Leaf	800	2000	40	RAL9003	RAL9003	Angular	R

### Factory installed bumpers for Traffic Swinging Double Leaf Doors

Bumper material type	Width, mm	Price for sq m	Price for running meter	
			Top 0,25 m	Bottom 0,5 m
AISI 304	1,5	68	17	34
AISI 430	1,5	49	12	24
Aluminium checker plate	1,5	49	12	24
Flat ABS plastic	4,0	36	9	18
Curved HDP plastic	6,0	40	10	20

## Additional Options for Traffic Swinging Doors

Item	Price, VAT not included
Set of stainless steel metalware 1 sq. m	4
Plexiglas window rubber seal, oval shaped, size 300x580 mm, factory installed in standard Traffic Door	included in price
TDD Frame installation hardware for insulated sandwich panels	19
TSD Frame installation hardware for insulated sandwich panels	14
TDD Frame installation hardware for brick wall	12
TSD Frame installation hardware for brick wall	6
Frame installation hardware for steel stud construction	4
Hidden installation hardware (TSD)	25
Hidden installation hardware (TDD)	29

## Packaging

Item	Price
Stretch-wrap	included in door price
Cardboard packaging	calculated individually for your order
Wooden packaging	calculated individually for your order



Agrohim territory, bld. 58,  
Shchelkovo, Moscow region,  
Russia, 141101

+7 (925) 745-01-37



[www.profhod.ru](http://www.profhod.ru)  
[www.profpnel.ru](http://www.profpnel.ru)